Page No: 1/14



# Safety Data Sheet

According To Regulation (EC) No 1907/2006 (REACH)

### AMMONIUM PERSULFATE

 Version:
 3.0
 Preparation Date :
 11/27/2019

 Form No:
 193256
 Revision Date:
 11/27/2019

Form	No: 193256	Revision Date: 11/2//2019
<i>1</i> .	IDENTIFICATION OF THI	E PRODUCT AND OF THE COMPANY/UNDERTAKING
1.1	Product Identifier	
	Product Name	AMMONIUM PERSULFATE (Ammonium Persulphate)
	$SDS^{I}$ $No$	193256
	CAS <sup>2</sup> No	7727-54-0
	EINECS <sup>3</sup> No	231-786-5
	Chemical Name	Diammonium peroxodisulphate
	Chemical Formula	$H8\ N2\ O8\ S2 = (NH4)2S2O8$
	Structural Formula	NH,*-0 SO NH,*
1.2	Relevant Identified Uses Of T	The Product And Uses Advised Against
	Relevant Identified Uses	<ul> <li>Used as oxidizing and bleaching agent.</li> <li>There are application areas that used as the reducing and oxidizing agent in yarn dyeing and photography.</li> </ul>
	Uses Advised Against	See chapter 16 for a general overview
1.3	Details Of The Supplier Of T	
	Supplier (Manufacturer)	AK-KİM KİMYA SAN. VE TİC. A.Ş. www.akkim.com.tr
	Address – Factory	Merkez Mahallesi, Ak-Kim Sokak, No:7 Taş <mark>köpr</mark> ű, Çiftlikköy / TÜRKİYE (TURKEY)
	Telephone	0 226 815 33 00
	Fax	0 226 353 25 39
1.4	Information Providing Autho	ority About Safety Data Sheet
	O'A'	Ali Haydar KETİR – Environmental Engineer
	Telephone	+90 (226) 815 33 00 / 33304
	Fax	ali.ketir@akkim.com.tr

## 2. HAZARDS IDENTIFICATION

1.5 Emergency Telephone Number

Company Emergency

# 2.1 Classification Of The Product

## 2.1.1 Classification According to Regulation (EC) No 1272/2008

- · Oxidising solids, Category 3; H272
- · Acute toxicity, Category 4, oral; H302
- · Skin irritation, Category 2; H315
- Eye irritation, Category 2; H319
- · Specific Target Organ Toxicity (single exposure), Category 3; H335

0 226 815 33 00

- · Skin sensitisation, Category 1; H317
- Respiratory sensitisation, Category 1; H334



Page No: 2/14



# Safety Data Sheet

According To Regulation (EC) No 1907/2006 (REACH)

#### AMMONIUM PERSULFATE

 Version:
 3.0
 Preparation Date:
 11/27/2019

 Form No:
 193256
 Revision Date:
 11/27/2019

#### 2.2 Label elements

### 2.2.1. Labeling According to Regulation (EC) No 1272/2008 [CLP<sup>4</sup>/GHS<sup>5</sup>]

## Product Identifier

Hazard Component for Labeling

Ammonium persulfate

## Hazard Pictograms



## Signal Word

Danger

#### Hazard Statements

**H272** May intensify fire; oxidiser.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H315 Causes skin irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

#### **Precautionary Statements**

#### General

None

#### Prevention

**P210** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**P261** Avoid breathing dust/fumes/gas/mist/vapours/spray.

**P280** Wear protective gloves/ eye protection/ face protection

## Response

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

**P304+P341** IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Storage

**P403+P233** Store in a well ventilated place. Keep container tightly closed.

### Disposal

**P501** Dispose of contents/container in accordance with local/regional/national/international regulation

### Supplemental Hazard Information (EU) Statements

None

# 2.2.2. Special Rules For Supplemental Label Elements For Certain Mixtures

None



Page No: 3/14



# Safety Data Sheet

According To Regulation (EC) No 1907/2006 (REACH)

#### AMMONIUM PERSULFATE

 Version:
 3.0
 Preparation Date :
 11/27/2019

 Form No:
 193256
 Revision Date:
 11/27/2019

## 2.2.3. Additional Labeling

· Not Applicable

### 2.3 Hazard Identification

#### 2.3.1. Skin Contact

Harmful if absorbed through skin. Cause skin irritation.

## 2.3.2. Eye Contact

Causes serious eye irritation.

## 2.3.3. Ingestion

Harmful if swallowed.

#### 2.3.4. Inhalation

May cause respiratory irritation, allergy, asthma symptoms or breathing difficulties if inhaled.

### 2.3.5. Long term effects

No data available

### 2.3.6. Adverse Environmental Effects

No data available

## 2.4. Additional Information

· None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Description Of The Substance:

NAME	EINECS NO	CAS NO.	CONTENT (%)	CLASSIFICATION CLP	
Ammonium persulfate	231-786-5	7727-54-0	> 99	DANGER Oxidising solids, Category 3; H272 Acute toxicity, Category 4, oral; H302 Skin irritation, Category 2; H315 Eye irritation, Category 2; H319 Specific Target Organ Toxicity (single exposure), Category 3; H335 Skin sensitisation, Category 1; H317 Respiratory sensitisation, Category 1; H334	
Notes: Oxygen[CAS#7782-44-7]<1%; Ozone[CAS#10028-15-6]<1%					

### 3.2 Additional information

· None

### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

#### 4.1.1 General information

- · Remove contaminated clothing.
- In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### 4.1.2 Following inhalation

Move to fresh air If breathing is difficult, give oxygen.



#### Page No: 4/14



# Safety Data Sheet

According To Regulation (EC) No 1907/2006 (REACH)

#### AMMONIUM PERSULFATE

 Version:
 3.0
 Preparation Date:
 11/27/2019

 Form No:
 193256
 Revision Date:
 11/27/2019

- Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device.
- · Immediate medical attention is required.

## 4.1.3 Following skin contact

- Wash off immediately with plenty of water for at least 15 minutes.
- · Immediate medical attention is required.

## 4.1.4 Following eye contact

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- · Obtain medical attention.

#### 4.1.5 Following ingestion

- Never give anything by mouth to an unconscious person.
- · Rinse mouth with water.
- · Consult a physician.

## 4.1.6 Self-protection of the first aider

· Pay attention to self-protection

## 4.1.7 Notes for the doctor

No data available

#### 5. FIRE-FIGHTING MEASURES

## 5.1 General Information and Flammable Properties

- The substance/product is non-combustible.
- Flash Point study scientifically not justified.

## 5.2 Extinguishing media:

- · Water spray
- · Alcohol-resistant foam
- · Dry chemical
- · Carbon dioxide

## 5.3 Unsuitable extinguishing media

None known.

### 5.4 Special hazards arising from the product

- · Nitrous gases (nitric oxides)
- · Sulphuric oxides

### 5.5 Advice for fire-fighters

Wear NIOSH <sup>6</sup> approved breathing apparatus, eye and face protector and chemical resistant clothes.

## 5.6 Additional information

- Substance is non-combustible, but has an oxidizing effect.
- *In case of ambient fire:* 
  - Cool surrounding containers with water spray.
  - If possible, take container out of dangerous zone.
  - Rise in pressure and risk of bursting when heating.
- Contaminated extinguishing water must be disposed of in accordance with official regulations
- Do not allow the quenching water into sewage systems







According To Regulation (EC) No 1907/2006 (REACH)

#### AMMONIUM PERSULFATE

 Version:
 3.0
 Preparation Date :
 11/27/2019

 Form No:
 193256
 Revision Date:
 11/27/2019

### 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

- · Evacuate area.
- · Warn affected surroundings.
- The hazardous area may only be entered once suitable protective measures are implemented. Only then can the hazardous situation be removed.
- · Carefully sweep up, gather and remove.
- · Avoid rising dust.
- · Afterwards ventilate area and wash spill site.
- Put on protective equipment before entering danger area.

#### 6.2 Environmental precautions

- · Cover drains.
- · Do not allow to enter into soil/subsoil.
- · Do not empty into drains or the aquatic environment..

## 6.3 Methods and material for containment and cleaning up

## 6.3.1 For containment

- · Control personal contact by using protective equipment as required
- Take up contaminated material and pass on for further processing.
- · Contain for disposal according to local / national regulations.

## 6.3.2 For cleaning up

- · Sweep up and shovel.
- Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.
- · Keep in suitable, closed containers for disposal.
- · Use protective equipment while cleaning if necessary.

#### 6.3.3 Other information

Dispose of waste material according to local, state and federal regulations.

#### 6.4 Reference to other sections

- Dispose of contaminated material as waste in accordance with section 13.
- · See Section 13.

## 7. HANDLING AND STORAGE

## 7.1.1 Precautions for safe handling

# 7.1.2 Protective measures

### Personal preventions

- · Work areas should be physically separated if possible.
- · Provision of good ventilation in the working area.
- The cleaned air should not be returned to the working area.
- · Air that has been pumped out can only be returned if it has been sufficiently cleaned using an acknowledged method.
- · Washing facility at the workplace required.
- Eye bath required. These locations must be signposted clearly.
- · When handling excessive amounts of the substance an emergency shower is required.



#### Page No: 6/14



# Safety Data Sheet

According To Regulation (EC) No 1907/2006 (REACH)

#### AMMONIUM PERSULFATE

 Version:
 3.0
 Preparation Date :
 11/27/2019

 Form No:
 193256
 Revision Date :
 11/27/2019

- · Take care to maintain clean working place.
- The substance must not be present at workplaces in quantities above that required for work to be progressed.
- · Do not leave container open.
- · Use leak-proof equipment with exhaust for refilling or transfer.
- · If necessary use dry propellant gas.
- · Avoid spillage.
- · Fill only into labelled container.
- · Avoid any contact when handling the substance.
- · Avoid rising dust.
- Work clothes should be laundered separately. Launder contaminated clothing before reuse.
- · Use good occupational work practice.
- · Observe manufacturer's storing and handling recommendations.
- Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.

#### Fire preventions

- · The substance/product is non-combustible
- See section 5.

#### Environmental precautions:

Dispose of waste material according to local, state and federal regulations.

## 7.1.3 Advice on general occupational hygiene

- · Clean daily.
- · Use protective equipment while cleaning if necessary.
- Avoid dust formation. Dust formation that cannot be avoided must be collected regularly.
- · Use tested industrial vacuum cleaners of class M.
- · Do not raise dust while cleaning.
- · Use of a blower for cleaning is not permitted.
- A device that has become dirty may only be used in other work areas after it has been cleaned.
- · Use good occupational work practice.
- · Comply with the health and safety at work laws.
- Remove contaminated clothing and protective equipment before entering eating areas.

## 7.2 Conditions for safe storage, including any incompatibilities

- Do not use any food containers risk of mistake.
- Containers have to be labelled clearly and permanently.
- Store in the original container as much as possible.
- · Keep container tightly closed.
- · Recommended storage at room temperature.
- Store in a dry place.
- · Keep container in a well-ventilated place.
- Store apart from sources if ignition and heat.
- Protect from overheating/heating up.







According To Regulation (EC) No 1907/2006 (REACH)

#### AMMONIUM PERSULFATE

 Version:
 3.0
 Preparation Date:
 11/27/2019

 Form No:
 193256
 Revision Date:
 11/27/2019

- · *Unsuitable materials: The aqueous solution corrodes metals.*
- Dangerous can be the contact with textiles, rust, iron, copper.

## 7.1 Advice on common storage

- Do not use any food containers risk of mistake.
- · Containers have to be labelled clearly and permanently.
- Store in the original container as much as possible.
- · Keep container tightly closed.
- · Store in a cool place.
- · Store in a dry place.
- Keep container in a well-ventilated place.

## 7.2 Specific precautions on storage

- Storage class 5.1 B (Oxidizing substances)
- Only substances of the same storage class should be stored together.
- Collocated storage with the following substances is prohibited:
  - Pharmaceuticals, foods, and animal feeds including additives.
  - Infectious, radioactive und explosive substances.
  - Gases.
  - Aerosols (spray bottles).
  - Other explosive substances of storage class 4.1A
  - Spontaneously flammable substances.
  - Substances liberating flammable gases in contact with water.
  - Organic peroxides and self-reactive substances.
- Under certain conditions the collocated storage with the following sub-stances is permitted:
  - Flammable liquids of storage class 3.
  - Flammable solid substances or desensitized substances of storage class 4.1B.
  - Ammonium nitrate and preparations containing ammonium nitrate.
  - Combustible and non-combustible acutely toxic substances of storage classes 6.1A and 6.1B.
  - Combustible toxic or chronically acting substances of storage class 6.1C.
  - Noncombustible toxic or chronically acting substances of storage class 6.1D.
  - Combustible corrosive substances of storage class 8A.
  - Combustible liquids of storage class 10.
  - Combustible solids of storage class 11.
- The substance should not be stored with substances with which hazardous chemical reactions are possible.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

Preventive industrial and medical examinations must be carried out according to the application area.

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.



Page No: 8/14



# Safety Data Sheet

According To Regulation (EC) No 1907/2006 (REACH)

#### AMMONIUM PERSULFATE

 Version:
 3.0
 Preparation Date:
 11/27/2019

 Form No:
 193256
 Revision Date:
 11/27/2019

## 8.1.1 Occupational exposure limits

. TWA: 0.1 mg/m3 (ACGIH)

## 8.2 Exposure controls

· Adequate ventilation should be used during processing

## 8.2.1 Appropriate engineering controls:

- · Provide local exhaust ventilation to control dust.
- In the immediate working surroundings there must be: Emergency shower installed.
- Make available sufficient washing facilities.
- Provide eye shower and label its location conspicuously.
- See Section 7

## 8.2.2 Personal protection equipment

## 8.2.2.1 Eye / Face protection:

- · Sufficient eye protection must be worn.
- · Wear glasses with side protection.




#### 8.2.2.2 Skin protection

Use protective gloves. The glove material must be sufficiently impermeable and resistant to the substance. Check the tightness before wear. Gloves should be well cleaned before being removed, then stored in a well-ventilated location. Pay attention to skin care.



- Skin protection cremes do not protect sufficiently against the substance.
- The following information is valid for aqueous, saturated solutions of the substance.
- The following materials are suitable for protective gloves (Permeation time >= 8 hours):
- · Natural rubber/Natural latex NR (0,5 mm) (use non-powdered and allergen free products)
- Polychloroprene CR (0.5 mm)
- · Nitrile rubber/Nitrile latex NBR (0,35 mm)
- · Butyl rubber Butyl (0,5 mm)
- Fluoro carbon rubber FKM (0,4 mm)
- · Polyvinyl chloride PVC (0,5 mm)
- The times listed are suggested by measurements taken at 22 °C and constant contact. Temperatures raised by warmed substances, body heat, etc. and a weakening of the effective layer thickness caused by expansion can lead to a significantly shorter breakthrough time. In case of doubt contact the gloves' manufacturer. A 1.5-times increase / decrease in the layer thickness doubles / halves the breakthrough time. This data only applies to the pure substance. Transferred to mixtures of substances, these figures should only be taken as an aid to orientation.



· Handle in accordance with good industrial hygiene and safety practice.

#### 8.2.2.3 Respiratory protection

- In an emergency (e.g.: unintentional release of the substance) respiratory
- protection must be worn. Consider the maximum period for wear.
- Respiratory protection: Particle filter P2 or P3, colour code white.
- Use insulating device for concentrations above the usage limits for filter









According To Regulation (EC) No 1907/2006 (REACH)

### AMMONIUM PERSULFATE

 Version:
 3.0
 Preparation Date :
 11/27/2019

 Form No:
 193256
 Revision Date :
 11/27/2019

devices, for oxygen concentrations below 17% volume, or in circumstances which are unclear.

## 8.2.3 Environmental exposure controls

Legislation for the protection of the environment must be met in full.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form/Physical state	Fine crystals and fragments
Color	White
Odor	Odorless
	Value
pH ( 5 % in water solution) @ (20(°C)	3.0-5.0
Freezing point/range (°C)	Not available
Boiling point/range (°C)101,3 kPa	Not available
Melting point (°C)	Not available
Flash Point (°C)closed cup	Not applicable
Ignition temperature (°C)	Not available
Viscosity cp	Not applicable
Density g/cm <sup>3</sup>	1,98
Solubility in water g/l @ 20°C	600
Solubility in ester, ketone and hydrocarbons	Not available
Partition coefficient n-Octanol/Water (log Ko/	w) Not available
Explosive Property	Not available
Oxidation Property	The substance or mixture is classified as oxidizing with the subcategory 3.

<u>Note</u>: The above features were determined according to prescribed methods at the Classification, Packaging and Labeling of Hazardous. Substances Regulation Section A-3 or a method comparable to the other.

## 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

• Stable under recommended storage and handling conditions. Oxidizer: Contact with combustible/organic material may cause fire. Moisture sensitive.

#### 10.3 Possibility of hazardous reactions

· No data available

#### 10.4 Conditions to avoid:

Heat, flames and sparks. Extremes of temperature and direct sunlight.

#### 10.5 Incompatible materials:

Reducing agents, Metals, Peroxides, Strong oxidizing agents

### 10.6 Hazardous decomposition products:

- Oxygen
- · Ammonia
- · Nitrous gases
- · Sulfur oxides





Page No: 10/14

According To Regulation (EC) No 1907/2006 (REACH)

### AMMONIUM PERSULFATE

 Version:
 3.0
 Preparation Date :
 11/27/2019

 Form No:
 193256
 Revision Date:
 11/27/2019

## 10.7 Hazardous polymerization:

None

## 11. TOXICOLOGICAL INFORMATION

## 11.1 General Information

- · Routes of exposure:
  - During occupational handling of ammonium persulfate exposure is to be expected via inhalative and oral intake pathways.

## 11.2 Acute toxicity

#### Oral:

Type of value: LD50

· Species: rat

· Value: approx. 495 mg/kg

#### Inhalation:

Type of value: LC50

· Species: rat

· Value: 520 mg/kg

# 11.3 Skin corrosion/irritation and Eye damage/irritation:

#### Skin:

· No data available

- $\cdot$  Eye:
  - · No data available
- · Sensitization:
  - . May cause sensitization by inhalation and skin contact

### 11.4 CMR effects (Carcinogenity)

· IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### 11.5 CMR effects (Mutagenicity and Toxicity for reproduction):

· No data ava<mark>ilable</mark>

### 11.6 Other Toxicological Effects:

Allergic Effects	May cause allergy on skin and respiratory tract.	
Effects on Repeated Doses	Many agus a gathar a	
Effects on Repeated Doses Chronic Exposures	way cause asmma.	
Sensitization	May cause sensitization by inhalation and skin contact.	
Developmental Toxicity	N. 1., 1.1	
Developmental Toxicity (Teratogenicity)	No data available.	
Fertility	No data available	

#### 11.7 STOT-single/repeated exposures:

11./	5101-single/repealed ex	posures.
	STOT-single exposure	No data available
	STOT-repeated exposure	No data available

### 11.8 Symptoms related to the physical, chemical and toxicological characteristics:

In case of inhalation	May be harmful if inhaled. May cause respiratory tract irritation.
In case of skin contact	Harmful if absorbed through skin. Cause skin irritation.
In case of eye contact	Causes serious eye irritation.





Page No: 11/14

According To Regulation (EC) No 1907/2006 (REACH)

#### AMMONIUM PERSULFATE

 Version:
 3.0
 Preparation Date:
 11/27/2019

 Form No:
 193256
 Revision Date:
 11/27/2019

In case of ingestion Harmful if swallowed

### 11.9 Additional Toxicological Information:

- The special effects to health are considered by taking into account the information in section 3.
- · RTECS: SE350000

## 12. ECOLOGICAL INFORMATION

## 12.1 Ecotoxicity:

- · Acute Fish Toxicity (LC50 96 hour): 323 mg/l
- · Acute Fish Toxicity (LC50 96 hour): 103 mg/l
- Acute Fish Toxicity (LC50 96 hour): 76,3 mg/l
- · Acute Daphnia Toxicity (EC50 48 hour): 120 mg/l
- · Acute Algea Toxicity (EC50 96 hour): No data available
- Acute Microorganisms Toxicity (EC50 72hour): No data available

#### 12.2 Photo degradation

No data available.

## 12.3 Effects on Waste Water Treatment Plants

Not determined.

#### 12.4 Mobility

Fine crystals and fragments Solubility in water: miscible Refer to ecotoxicity.

Water threat class
Clean Water Impact
No data available

Known or predicted environmental distribution
No data available

12.5 Results of PBT and vPvB assessment

Biotic	
Ready biodegrad <mark>a</mark> bility:	No data available
Abiotic:	
Hydrolysis as a function of pH:	No data available
Photolysis:	No data available
Atmospheric oxidation:	No data available
Persistence and degradability:	
Decomposition Potential of the products	No data available

Decomposition Potential of the products

The half-life of degradation

Potential degradation of product content in the evaluation of wastewater treatment plants

No data available

No data available

#### Bioaccumulation Potential:

Biological environment (biota) accumulation potential No data available
Potential - nutrients pass through No data available
Reference Values - Log Kow , Sw and BCF No data available

## 12.6 Additional information





Page No: 12/14

According To Regulation (EC) No 1907/2006 (REACH)

#### AMMONIUM PERSULFATE

 Version:
 3.0
 Preparation Date:
 11/27/2019

 Form No:
 193256
 Revision Date:
 11/27/2019

See the sections 6, 7, 13, 14 and 15.

#### *13. DISPOSAL CONSIDERATIONS*

## 13.1 Product / Packaging disposal

- Collection of small amounts of substance:
  - Convert into a less harmful reduction product by introducing in a sodium thiosulfate solution, if necessary under acidification.
  - Place in collecting containers for salt solutions, adjust for a pH value of 6 8, or place in collecting containers for toxic anorganic residues as well as heavy-metal salts and their solutions.
  - Collection vessels must be clearly labelled with a systematic description of their contents. Store the vessels in a well-ventilated location.
- When recycling of the product is not possible, disposal to landfill or incineration in accordance with all applicable government laws and regulations is recommended.
- · Disposal according to local authority regulations.
- · Contact waste disposal services

## 13.2 Contaminated packaging

- · If there is product residue in the emptied container, follow directions for handling on the container's label.
- Contaminated packaging must be emptied of all residues and can be recycled following appropriate cleaning.

## 13.3 Disposal Methods

- Dispose of chemicals waste or in accordance with local regulations.
- Follow all applicable local laws, rules and regulations regarding the proper disposal of this material.
- If this product has been altered or contaminated with other hazardous materials, appropriate waste analysis may be necessary to determine proper method for disposal

#### 13.4 European Waste Catalogue

• The final classification has to be done together with the local waste disposal company / authority.

## 14. TRANSPORT INFORMATION

#### **UN1444 AMMONIUM PERSULFAT**

	$ADR^7/RID^8$	ADNR	IMDG <sup>9</sup>	ICAO <sup>10</sup> /IATA <sup>11</sup>
TRANSPORTATION	Road	River	Marine	Airways
PROPER SHIPPING NAME	UN1444 AMMONIUM PERSULFATE			
UN/ID No.	1444	1444	1444	1444
SYMBOL	5.1	5.1	5.1	5.1
CLASS	5.1	5.1	5.1	5.1
PACKAGING GROUP	III	III	III	III
LABELLING NO	5.1	5.1	5.1	5.1
CLASSIFICATION CODE	<i>O</i> 2			





Page No: 13/14

According To Regulation (EC) No 1907/2006 (REACH)

#### AMMONIUM PERSULFATE

 Version:
 3.0
 Preparation Date :
 11/27/2019

 Form No:
 193256
 Revision Date:
 11/27/2019

HAZARD NO (HIN NO)	50			
EmS			F-A;S-Q	
MARINE Pollutant			NO	
Road Transport Notes: This product is regulated as a hazardous material.				

## 15. REGULATORY INFORMATION

## 15.1 Safety, Health And Environmental Regulations / Legislation Specific For The Substance

Substance is found on the following regulatory lists;;

• "European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)"

## 15.2 Chemical Safety Assessment

No data available

#### 15.2.1 HAZARD

CLP classification according to Annex VI of CLP (Regulation (EC) No 1272/2008)

- · May intensify fire; oxidiser.
- · Harmful if swallowed.
- · Causes skin irritation.
- · Causes serious eye irritation.
- · May cause respiratory irritation.
- · May cause allergy or asthma symptoms or breathing difficulties if inhaled.
  - May cause an allergic skin reaction.

#### 15.2.2 RISK

- · Contact with combustible material may cause fire.
- · Harmful if swallowed.
- · Irritating to eyes, respiratory system and skin.
- May cause sensitisation by inhalation and skin contact.

#### 15.3 INTERNATIONAL REGULATIONS

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006 and ISO 11014:2009. This product is classified according to EU Directive 67/548/EC and GHS/CLP.

## 16. OTHER INFORMATION

#### 16.1 Other information

- · For additional information regarding AK-KIM KIMYA SAN. VE TIC. A.S. products please contact the AK-KIM KIMYA SAN. VE TIC. A.S. Ali Haydar KETİR-ali.ketir@akkim.com.tr
- The above information complies with the 199/45/EC and 1907/2006 Directives and their amendments.
- In all cases of potential poisoning supportive therapy is of the utmost importance.

#### 16.2 Related Person

- · Prepared by: Selçuk BİLGİN (<u>selcuk.bilgin@doruksistem.com.tr</u>)
- · Specialist Accreditation No: TSE GBF-A-0-2707 21.12.2017
- <u>www.MsdsMarket.com</u>; <u>info@doruksistem.com.tr</u>; 02163378383 (contact for further information if needed)





Page No: 14/14

According To Regulation (EC) No 1907/2006 (REACH)

#### AMMONIUM PERSULFATE

 Version:
 3.0
 Preparation Date :
 11/27/2019

 Form No:
 193256
 Revision Date:
 11/27/2019

#### 16.3 Revision Date, Version and SDS no

Date: November 27, 2019

· Version: 3.0

MSDS No : 193256

### 16.4 Reason of re-issue

· Compiling according to Regulation (EC) No 1272/2008

## 16.5 Relevant H- and EUH-phrases (number and full text):

**H272** May intensify fire; oxidiser.

**H302** Harmful if swallowed.

*H319* Causes serious eye irritation.

*H317* May cause an allergic skin reaction.

H315 Causes skin irritation.

*H334* May cause allergy or asthma symptoms or breathing difficulties if inhaled.

*H335* May cause respiratory irritation.

## 16.6 Legal disclaimer

- The purpose of the above information is to describe the products only in terms of health and safety requirements.
- The information given should not, therefore, be construed as guaranteeing specific properties or as specification.
- · Customers should satisfy themselves as to the suitability and completeness of such information for their own particular use
- The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication.
- The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.
- The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. Due to the many factors outside our control when using this product, we cannot accept liability for any injury, accident, loss or damage caused through its use.

<sup>&</sup>lt;sup>1</sup> SDS: Safety Data Sheet

<sup>&</sup>lt;sup>2</sup> CAS: Chemical Abstract Service

<sup>&</sup>lt;sup>3</sup> EINECS: European INventory of Existing Commercial

<sup>&</sup>lt;sup>4</sup> CLP:Classification Laballing and Packaging

<sup>&</sup>lt;sup>5</sup> GHS:Global Harmonised System

<sup>&</sup>lt;sup>6</sup> NIOSH-National Institute of Occupational Safety and Health (Ulusal İş Sağlığı ve Güvenliği Enstitüsü)

<sup>&</sup>lt;sup>7</sup> ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

<sup>&</sup>lt;sup>8</sup> RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

<sup>&</sup>lt;sup>9</sup> IMDG: International Maritime Code for Dangerous Goods

<sup>&</sup>lt;sup>10</sup> ICAO: International Civil Aviation Organization

<sup>11</sup> IATA: International Air Transport Association