

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

|              |                                 |
|--------------|---------------------------------|
| Product form | : Mixture                       |
| Product name | : HYDROGEN PEROXIDE (50%)       |
| EC-No.       | : 231-765-0                     |
| CAS-No.      | : 7722-84-1                     |
| Product code | : 403-040620-1                  |
| Formula      | : H <sub>2</sub> O <sub>2</sub> |

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

|                              |   |
|------------------------------|---|
| Use of the substance/mixture | : Bleaching of textiles<br>Detergents and personal hygiene products<br>Industrial sterilization applications<br>Pulp and paper bleaching<br>Food and metal industries |
|------------------------------|---|

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Akkim Kimya Sanayi ve Tic. A.Ş.  
Merkez Mahallesi, Ak-Kim Sokak No:7  
77600  
T +90 226 815 33 00 - F +90 226 353 25 39  
[www.akkim.com.tr](http://www.akkim.com.tr)

#### 1.4. Emergency telephone number

Emergency number : +90 226 815 33 00/33112

| Country | Organisation/Company  | Address   | Emergency number | Comment   |
|---------|---|---|------------------|---|
| Turkey  | Ulusal Zehir Merkezi (UZEM)<br>Refik Saydam Hıfzıssıhha<br>Merkezi Başkanlığı | Cemal Gürsel Cd. No: 18<br>Sıhhiye<br>Çankaya<br>06590 Ankara | 114              | Information is provided to public and medical personnel on poisoning incidents via 114. |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

|   |      |
|---|------|
| Oxidising Liquids, Category 2   | H272 |
| Acute toxicity (oral), Category 4   | H302 |
| Acute toxicity (inhalation:dust,mist) Category 4  | H332 |
| Skin corrosion/irritation, Category 1B  | H314 |
| Serious eye damage/eye irritation, Category 1   | H318 |
| Specific target organ toxicity — Single exposure, Category 3,<br>Respiratory tract irritation | H335 |

Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

Harmful if inhaled. Harmful if swallowed. May cause respiratory irritation. Causes serious eye damage. Causes severe skin burns and eye damage. May intensify fire; oxidiser.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS03

GHS05

GHS07

Signal word (CLP)

: Danger

Hazardous ingredients

: Hydrogen peroxide solution

# HYDROGEN PEROXIDE (50%)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Hazard statements (CLP)

: H272 - May intensify fire; oxidiser.  
H302+H332 - Harmful if swallowed or if inhaled.  
H314 - Causes severe skin burns and eye damage.  
H335 - May cause respiratory irritation.

### Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P220 - Keep away from clothing and other combustible materials.  
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P271 - Use only outdoors or in a well-ventilated area.  
P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.  
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.. Immediately call a POISON CENTER or doctor.  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.  
P405 - Store locked up.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                       | Product identifier   | %  | Classification according to Regulation (EC) No. 1272/2008 [CLP]   |
|----------------------------|--|----|---|
| Hydrogen peroxide solution | (CAS-No.) 7722-84-1<br>(EC-No.) 231-765-0<br>(EC Index-No.) 008-003-00-9 | 50 | Ox. Liq. 1, H271<br>Acute Tox. 4 (Inhalation), H332<br>Acute Tox. 4 (Oral), H302<br>Skin Corr. 1A, H314 |

### Specific concentration limits:

| Name                       | Product identifier   | Specific concentration limits   |
|----------------------------|--|---|
| Hydrogen peroxide solution | (CAS-No.) 7722-84-1<br>(EC-No.) 231-765-0<br>(EC Index-No.) 008-003-00-9 | ( 5 =<C < 8) Eye Irrit. 2, H319<br>( 8 =<C < 50) Eye Dam. 1, H318<br>( 35 =<C < 50) Skin Irrit. 2, H315<br>( 35 =<C <= 100) STOT SE 3, H335<br>( 50 =<C < 70) Ox. Liq. 2, H272<br>( 50 =<C < 70) Skin Corr. 1B, H314<br>( 70 =<C <= 100) Ox. Liq. 1, H271<br>( 70 =<C <= 100) Skin Corr. 1A, H314 |

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### First-aid measures general

: Call a physician immediately. Never give anything by mouth to an unconscious person. People with over sensibility problems are not allowed to work or be exposed to the product. In all cases of doubt, or when symptoms persist, seek medical attention.

#### First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.

#### First-aid measures after skin contact

: Take off immediately all contaminated clothing. Call a physician immediately. Rinse skin with water/shower.

#### First-aid measures after eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

#### First-aid measures after ingestion

: Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Symptoms/effects after inhalation

: May cause respiratory irritation.

#### Symptoms/effects after skin contact

: Burns.

#### Symptoms/effects after eye contact

: Serious damage to eyes.

#### Symptoms/effects after ingestion

: Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# HYDROGEN PEROXIDE (50%)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Water spray, dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>). Dry powder. Foam. Carbon dioxide.
- Unsuitable extinguishing media : Strong water jet.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : May intensify fire; oxidiser.
- Reactivity in case of fire : At high temperature may liberate dangerous gases.
- Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

- Precautionary measures fire : Approach from upwind. Use water spray or fog for cooling exposed containers. Keep away from combustible materials.
- Firefighting instructions : Use water spray or fog for cooling exposed containers. Cool adjacent tanks / containers / drums with water jet. Do not allow water to enter the vessels, a violent reaction may occur. Do not enter fire area without proper protective equipment, including respiratory protection. Exercise caution when fighting any chemical fire. Keep upwind. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Other information : High temperature decomposition products are harmful by inhalation. Inhalation of vapour can cause breathing difficulties.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Eliminate every possible source of ignition. Access forbidden to unauthorised personnel. Use protective clothing. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Notify authorities if product enters sewers or public waters. Use care in walking on spilled material. Do not inhale vapour.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment. Dust formation: dust mask. Wear suitable protective clothing, gloves and eye or face protection.
- Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. No open flames, no sparks, and no smoking. Do not touch or walk on the spilled product. Evacuate unnecessary personnel. Mark out the contaminated area with signs and prevent access to unauthorized personnel.
- Measures in case of dust release : In case of dust production: protective goggles. Dust mask. In case of vapour formation use adequate respirator.

##### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Only qualified personnel equipped with suitable protective equipment may intervene. Wear suitable protective clothing, gloves and eye/face protection.
- Emergency procedures : Avoid contact with skin and eyes. Do not touch spilled material. Evacuate unnecessary personnel. Keep away from combustible material. Keep public away from danger area. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Ventilate area. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses. Do not discharge into drains or waterways without neutralizing.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Comply with the safety instructions. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Clean up any spills as soon as possible, using an absorbent material to collect it. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Sweep or shovel spills into appropriate container for disposal. Minimise generation of dust.
- Other information : Dispose of materials or solid residues at an authorized site. Dispose of contaminated materials in accordance with current regulations.

#### 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13. For further information refer to section 13.

# HYDROGEN PEROXIDE (50%)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

|                                   |  |
|-----------------------------------|--|
| Additional hazards when processed | : Use adequate ventilation to keep vapour concentrations below applicable standard. Take all necessary technical measures to avoid or minimize the release of the product on the workplace.  |
| Precautions for safe handling     | : Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid dust formation. Avoid prolonged and repeated contact with skin. Contaminated work clothing should not be allowed out of the workplace. Do not spray on an open flame or other ignition source. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Keep valves and fittings free from oil and grease. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Take precautionary measures against static discharge. |
| Hygiene measures                  | : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.   |

#### 7.2. Conditions for safe storage, including any incompatibilities

|                              |   |
|------------------------------|---|
| Technical measures           | : Comply with applicable regulations. Containers which are opened should be properly resealed and kept upright to prevent leakage. Ensure adequate ventilation, especially in confined areas. |
| Storage conditions           | : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.  |
| Incompatible products        | : Strong acids. Strong bases. Strong oxidizing agents. Peroxides. Explosives.   |
| Incompatible materials       | : combustible materials. Extremely high or low temperatures.  |
| Heat and ignition sources    | : Do not smoke. KEEP SUBSTANCE AWAY FROM: ignition sources. heat sources.   |
| Information on mixed storage | : Keep away from food, drink and animal feeding stuffs.   |
| Storage area                 | : Avoid: Extremely high or low temperatures. Heat and ignition sources.   |

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station. Avoid contact with skin, eyes and clothing. Carry out operations in the open/under local exhaust/ventilation or with respiratory protection. Consider work permit system e.g. for maintenance activities. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. In the event that dust and/or fine particles are generated with this product, it is prudent to minimize prolonged inhalation exposure to these forms not to exceed the occupational exposure limit. Measure concentrations regularly, and at the time of any change occurring in conditions likely to have consequences on workers exposure.

##### Personal protective equipment:

Corrosionproof clothing. Gloves. Safety glasses. Gas mask.

##### Hand protection:

Protective gloves. EN 374

##### Eye protection:

Safety glasses. EN 166. Where excessive dust may result, wear goggles. Safety glasses

##### Skin and body protection:

Wear suitable protective clothing. In case of dust production: dustproof clothing. In case of dust production: head/neck protection. Where contact with eyes or skin is likely, wear suitable protection

##### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection. Dust production: dust mask with filter type P1. Where excessive vapour may result, wear approved mask

##### Personal protective equipment symbol(s):



##### Environmental exposure controls:

Avoid release to the environment.

# HYDROGEN PEROXIDE (50%)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Consumer exposure controls:

Do not eat, drink or smoke during use. Always wash hands after handling the product. Avoid contact with skin and eyes. Avoid contact during pregnancy/while nursing.

### Other information:

Always wash hands after handling the product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |                     |
|--|---------------------|
| Physical state                             | : Liquid            |
| Appearance                                 | : Clear             |
| Molecular mass                             | : 34.02 g/mol       |
| Colour                                     | : Colorless         |
| Odour                                      | : No data available |
| Odour threshold                            | : No data available |
| pH   | : < 3.0 (directly)  |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point                              | : Not applicable    |
| Freezing point                             | : -52 °C @ 760 mmHg |
| Boiling point                              | : 114 °C @ 760 mmHg |
| Flash point                                | : No data available |
| Auto-ignition temperature                  | : No data available |
| Decomposition temperature                  | : No data available |
| Flammability (solid, gas)                  | : Not applicable    |
| Vapour pressure                            | : 18 mm Hg          |
| Relative vapour density at 20 °C           | : No data available |
| Relative density                           | : 1.19              |
| Solubility                                 | : Soluble in water  |
| Log Pow                                    | : No data available |
| Viscosity, kinematic                       | : No data available |
| Viscosity, dynamic                         | : No data available |
| Explosive properties                       | : No data available |
| Oxidising properties                       | : No data available |
| Explosive limits                           | : No data available |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

May intensify fire; oxidiser.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Combustible materials. Strong acids. Strong bases. Strong oxidizing agents. Peroxides. Explosives.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                             |                         |
|-----------------------------|-------------------------|
| Acute toxicity (oral)       | : Harmful if swallowed. |
| Acute toxicity (dermal)     | : Not classified        |
| Acute toxicity (inhalation) | : Harmful if inhaled.   |

### Hydrogen peroxide solution (7722-84-1)

|               |   |
|---------------|---|
| LD50 oral rat | 694 - 1026 mg/kg (70%, female-male rat) |
|---------------|---|

# HYDROGEN PEROXIDE (50%)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                   |  |
|-----------------------------------|--|
| LD50 oral                         | 1193 - 1270 mg/kg (35%, female-male rat)                         |
| LD50 dermal                       | > 2000 ml/kg (35% H <sub>2</sub> O <sub>2</sub> )                |
| LC50 inhalation rat (mg/l)        | 170 mg/m <sup>3</sup> (50% H <sub>2</sub> O <sub>2</sub> )       |
| Skin corrosion/irritation         | : Causes severe skin burns and eye damage.<br>pH: < 3 (directly) |
| Serious eye damage/irritation     | : Causes serious eye damage.<br>pH: < 3 (directly)               |
| Respiratory or skin sensitisation | : Not classified   |
| Germ cell mutagenicity            | : Not classified   |
| Carcinogenicity                   | : Not classified   |
| Reproductive toxicity             | : Not classified   |
| STOT-single exposure              | : May cause respiratory irritation.                              |
| STOT-repeated exposure            | : Not classified   |
| Aspiration hazard                 | : Not classified   |

## SECTION 12: Ecological information

### 12.1. Toxicity

|   |   |
|---|---|
| Ecology - general   | : Before neutralisation, the product may represent a danger to aquatic organisms. |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified  |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified  |

### Hydrogen peroxide solution (7722-84-1)

|                |           |
|----------------|-----------|
| LC50 fish 1    | 16.4 mg/l |
| EC50 Daphnia 1 | 2.4 mg/l  |
| ErC50 (algae)  | 1.38 mg/l |

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

### Hydrogen peroxide solution (7722-84-1)

|         |      |
|---------|------|
| Log Kow | -1.5 |
|---------|------|

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

|                                 |  |
|---------------------------------|--|
| Regional legislation (waste)    | : Disposal must be done according to official regulations. Waste Management Regulation published in the Official Journal numbered 29314 on April 2, 2015. Regulation on Incineration of Waste Materials published in the Official Journal numbered 27721 on October 6, 2010. |
| Waste treatment methods         | : Dispose of contents/container in accordance with licensed collector's sorting instructions. Do not remove as household garbage.  |
| Sewage disposal recommendations | : Disposal must be done according to official regulations.   |
| Additional information          | : Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.   |

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR                    | IMDG    | IATA    | ADN     | RID     |
|------------------------|---------|---------|---------|---------|
| <b>14.1. UN number</b> |         |         |         |         |
| UN 2014                | UN 2014 | UN 2014 | UN 2014 | UN 2014 |

# HYDROGEN PEROXIDE (50%)

## Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| 14.2. UN proper shipping name                                 |   |  |  |  |
|---|---|--|--|--|
| HYDROGEN PEROXIDE, AQUEOUS SOLUTION                           | HYDROGEN PEROXIDE, AQUEOUS SOLUTION                         | Hydrogen peroxide, aqueous solution                  | HYDROGEN PEROXIDE, AQUEOUS SOLUTION                      | HYDROGEN PEROXIDE, AQUEOUS SOLUTION                      |
| Transport document description                                |   |  |  |  |
| UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II, (E) | UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II    | UN 2014 Hydrogen peroxide, aqueous solution, 5.1, II | UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II | UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II |
| 14.3. Transport hazard class(es)                              |   |  |  |  |
| 5.1 (8)   | 5.1 (8)   | 5.1 (8)  | 5.1 (8)  | 5.1 (8)  |
|   |   |  |  |  |
| 14.4. Packing group   |   |  |  |  |
| II  | II  | II   | II   | II   |
| 14.5. Environmental hazards                                   |   |  |  |  |
| Dangerous for the environment : No                            | Dangerous for the environment : No<br>Marine pollutant : No | Dangerous for the environment : No                   | Dangerous for the environment : No                       | Dangerous for the environment : No                       |
| No supplementary information available                        |   |  |  |  |

### 14.6. Special precautions for user

#### Overland transport

|   |                            |
|---|----------------------------|
| Classification code (ADR)   | : OC1                      |
| Limited quantities (ADR)  | : 1I                       |
| Excepted quantities (ADR)   | : E2                       |
| Packing instructions (ADR)  | : P504, IBC02              |
| Special packing provisions (ADR)  | : PP10, B5                 |
| Mixed packing provisions (ADR)  | : MP15                     |
| Portable tank and bulk container instructions (ADR)                     | : T7                       |
| Portable tank and bulk container special provisions (ADR)               | : TP2, TP6, TP24           |
| Tank code (ADR)   | : L4BV(+)                  |
| Tank special provisions (ADR)   | : TU3, TC2, TE8, TE11, TT1 |
| Vehicle for tank carriage   | : AT                       |
| Transport category (ADR)  | : 2                        |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV24                     |
| Hazard identification number (Kemler No.)                               | : 58                       |
| Orange plates   | :                          |



Tunnel restriction code (ADR) : E

#### Transport by sea

|                                   |                  |
|-----------------------------------|------------------|
| Packing instructions (IMDG)       | : P504           |
| Special packing provisions (IMDG) | : PP10           |
| IBC packing instructions (IMDG)   | : IBC02          |
| IBC special provisions (IMDG)     | : B5             |
| Tank instructions (IMDG)          | : T7             |
| Tank special provisions (IMDG)    | : TP2, TP6, TP24 |
| EmS-No. (Fire)                    | : F-H            |
| EmS-No. (Spillage)                | : S-Q            |
| Stowage category (IMDG)           | : D              |
| Stowage and handling (IMDG)       | : SW1            |



# HYDROGEN PEROXIDE (50%)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                    |  |
|------------------------------------|--|
| Segregation (IMDG)                 | : SG16, SG59, SG72   |
| Properties and observations (IMDG) | : Colourless liquid. Slowly decomposes, evolving oxygen; the rate of decomposition increases in contact with metals, except aluminium. In contact with combustible material may cause fire or explosion. Causes burns to skin, eyes and mucous membranes. Even though stabilized, these solutions may evolve oxygen. |

### Air transport

|  |        |
|--|--------|
| PCA Excepted quantities (IATA)               | : E2   |
| PCA Limited quantities (IATA)                | : Y540 |
| PCA limited quantity max net quantity (IATA) | : 0.5L |
| PCA packing instructions (IATA)              | : 550  |
| PCA max net quantity (IATA)                  | : 1L   |
| CAO packing instructions (IATA)              | : 554  |
| CAO max net quantity (IATA)                  | : 5L   |
| ERG code (IATA)                              | : 5C   |

### Inland waterway transport

|                                   |          |
|-----------------------------------|----------|
| Classification code (ADN)         | : OC1    |
| Limited quantities (ADN)          | : 1 L    |
| Excepted quantities (ADN)         | : E2     |
| Carriage permitted (ADN)          | : T      |
| Equipment required (ADN)          | : PP, EP |
| Number of blue cones/lights (ADN) | : 0      |

### Rail transport

|   |                            |
|---|----------------------------|
| Classification code (RID)   | : OC1                      |
| Limited quantities (RID)  | : 1L                       |
| Excepted quantities (RID)   | : E2                       |
| Packing instructions (RID)  | : P504, IBC02              |
| Special packing provisions (RID)  | : PP10, B5                 |
| Mixed packing provisions (RID)  | : MP15                     |
| Portable tank and bulk container instructions (RID)                     | : T7                       |
| Portable tank and bulk container special provisions (RID)               | : TP2, TP6, TP24           |
| Tank codes for RID tanks (RID)  | : L4BV(+)                  |
| Special provisions for RID tanks (RID)                                  | : TU3, TC2, TE8, TE11, TT1 |
| Transport category (RID)  | : 2                        |
| Special provisions for carriage - Loading, unloading and handling (RID) | : CW24                     |
| Colis express (express parcels) (RID)                                   | : CE6                      |
| Hazard identification number (RID)                                      | : 58                       |

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

##### Germany

Reference to AWSV : Water hazard class (WKG) 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)



# HYDROGEN PEROXIDE (50%)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                         | Acute Toxicity Estimate   |
| BCF                         | Bioconcentration factor   |
| DMEL                        | Derived Minimal Effect level  |
| DNEL                        | Derived-No Effect Level   |
| EC50                        | Median effective concentration  |
| IARC                        | International Agency for Research on Cancer   |
| IATA                        | International Air Transport Association   |
| IMDG                        | International Maritime Dangerous Goods  |
| LC50                        | Median lethal concentration   |
| LD50                        | Median lethal dose  |
| LOAEL                       | Lowest Observed Adverse Effect Level  |
| NOAEC                       | No-Observed Adverse Effect Concentration  |
| NOAEL                       | No-Observed Adverse Effect Level  |
| NOEC                        | No-Observed Effect Concentration  |
| OECD                        | Organisation for Economic Co-operation and Development  |
| PBT                         | Persistent Bioaccumulative Toxic  |
| PNEC                        | Predicted No-Effect Concentration   |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail                    |
| SDS                         | Safety Data Sheet   |
| STP                         | Sewage treatment plant  |
| TLM                         | Median Tolerance Limit  |
| vPvB                        | Very Persistent and Very Bioaccumulative  |

Data sources : Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. ECHA (European Chemicals Agency). Supplier's safety documents.

Other information : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

| Full text of H- and EUH-statements: |   |
|-------------------------------------|---|
| Acute Tox. 4 (Inhalation)           | Acute toxicity (inhal.), Category 4           |
| Acute Tox. 4 (Oral)                 | Acute toxicity (oral), Category 4             |
| Eye Dam. 1                          | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2 |
| Ox. Liq. 1                          | Oxidising Liquids, Category 1                 |
| Ox. Liq. 2                          | Oxidising Liquids, Category 2                 |
| Skin Corr. 1A                       | Skin corrosion/irritation, Category 1A        |
| Skin Corr. 1B                       | Skin corrosion/irritation, Category 1B        |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2         |

# HYDROGEN PEROXIDE (50%)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|           |  |
|-----------|--|
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H271      | May cause fire or explosion; strong oxidiser.  |
| H272      | May intensify fire; oxidiser.  |
| H302      | Harmful if swallowed.  |
| H314      | Causes severe skin burns and eye damage.   |
| H315      | Causes skin irritation.  |
| H318      | Causes serious eye damage.   |
| H319      | Causes serious eye irritation.   |
| H332      | Harmful if inhaled.  |
| H335      | May cause respiratory irritation.  |

### SDS EU (REACH Annex II)

*The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable*